

구분자 위키 문법

이 페이지에서는 위키 페이지 및 위키 서식 적용을 지원하는 다른 영역 (기사, 게시판, 블로그 등등) 에서 구분자를 사용하는 법을 배우게 됩니다. 구분자 (Separator) 는 일반적 용어로써 다음을 포함합니다: 자 (Ruler), 헤더, 및 목차.

`{maketoc}`

가로 자

가로자는 4개의 하이픈 (-) 문자로 생성될 수 있습니다. 가로 자는 HTML 블록 단위 요소로써, 페이지 상에 포함되면 전체 너비를 의미합니다.

예제:

는 다음의 줄을 생성합니다.

- (주의: Fivealive 테마는 배경과 동일한 색으로 가로 자를 만드느 것으로 보입니다, 그러므로, 보이지 않게 됩니다. 이는 조만간 수정될 것입니다.)

가로자는 테마에 대한 CSS가 사용자의 웹브라우저 기본 스타일링을 덮어쓴다면 다양한 방법으로 스타일이 규정될 수 있습니다.

제목 바 (Bar)

제목 바는 가로 자와 유사하여 페이지 넓이로 펼쳐지는 줄을 생성하지만, 타이틀 바는 그 위에 텍스트를 포함합니다. 제목 바는 자신 만의 줄에 있어야 하며 하이픈 (-) 과 등호 (=) 문자를 이용하여 생성됩니다.

예제:

```
{DIV(class=titlebar)} 이는 제목 바 입니다 {DIV}
```

는 다음과 같은 제목 바를 생성합니다:

이는 제목 바 입니다

🔗 The text on a Title Bar can be centered and/or colored, and should be able to contain other HTML elements such as an image since it is actually a div. However, the function of a Title Bar as essentially a horizontal divider should be kept in mind.

Example:

```
{HTML()}::A Red Centered Title Bar:: {HTML}
```

Will produce the following Title Bar:

::A Red Centered Title Bar::

Boxes

Boxes are added with the Caret (^) character. This character can be located anywhere on a line but it should be the first character. The first Caret indicates where the Box will start and a second Caret (on this or another line) indicates where the Box is to end.

Example:



```
^ This is a Box ^
```

Will produce:

This is a Box

See also [pluginBox](#).

Page Breaks

Page breaks allow you to control the length of a page for easy reading. A new page can be added anywhere but should start at the beginning of a line. A page break uses 3 Periods (.), the keyword *page* and another 3 periods (.)

Example:
