

category is a means of classifying the pages and other objects of a Tiki website, including blogs, articles, polls, forums, wi ges, file galleries and trackers. The feature is similar to, but different from tags and structures. Any Tiki object including w ages, blog posts, forum topics, calendar, or tracker can be added to one or many categories for content organization and/o object access purposes.

To access

Click the **Categories** icon on the Admin Panel

or

Access http://example.org/tiki-admin.php?page=category

Related Topics

- Category User
- PluginCategory

Option	Description	Default
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
Plugin Category	List categories and objects assigned to them	Enabled
Plugin Category Path	Show the full category path for a wiki page	Enabled
Plugin Category Orphans	List objects that are not categorized	Enabled
nline plugin Category		Disabled
nline plugin PluginCategoryTransition		Disabled
nline plugin Category Orphans		Disabled
nline plugin Category Path		Disabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None

Iter how the category path will be rendered. E Links to the category when the category is visible Text label when the category is visible Ink when visible, text label otherwise Always display the category path labels gnore case and accents when listing categories. Disable to use the "locale" sort ettings. how, at the bottom of the wiki page, objects in the same category list of category IDs for which revision approval is required. E Basic Weighted E 1 2 3 4 5 6 7 8 9 10 To minimum is applied. The default maximum records setting for the site is used of this is set to 0.	Links to the category when Disabled Disabled None None 2 categories Enabled 0 objects
how, at the bottom of the wiki page, objects in the same category ist of category IDs for which revision approval is required. Basic Weighted 1 2 3 4 5 6 7 8 9 10 0 minimum is applied. Description of the site is used of this is set to 0.	Disabled None None 2 categories Enabled
ist of category IDs for which revision approval is required. Basic Weighted	None None 2 categories Enabled
E Basic Weighted E 1 2 3 4 5 6 7 8 9 10 o minimum is applied. he default maximum records setting for the site is used of this is set to 0.	None 2 categories Enabled
E 1 2 3 4 5 6 7 8 9 10 Io minimum is applied. The default maximum records setting for the site is used of this is set to 0.	2 categories Enabled
o minimum is applied. he default maximum records setting for the site is used of this is set to 0.	Enabled
he default maximum records setting for the site is used of this is set to 0.	
_	0 objects
	•
nables transitions for objects between different categories. Transitions will create document workflow.	Disabled
isplay controls to trigger category transitions for any object.	Disabled
Then enabled, the \$objectCategorylds variable is set to the identifiers of the ategories of the object being viewed. This allows showing alternate content epending on the categories of the current object, but reduces performance.	Disabled
ages in selected categories will have a class with syntax like "cat_catname" dded to the body tag.	None
ist of category IDs to exclude from the search index	None
cache is used to avoid having to fetch all categories from the database every me; this clears the cache when an object is categorized to keep the count up to ate. Can slow saving objects on sites with a lot of categories. You may need to nanually clear caches to update category object counts.	Enabled
omma-separated list of category IDs.	None
inding categories and perspectives to each other $oldsymbol{oldsymbol{\sqcup}}$	Disabled
O of category whose child categories are bound to a perspective by areas	0
	Disabled
oi / a e a c c i i	In the near the sobject Category transitions for any object. Then enabled, the \$object Categorylds variable is set to the identifiers of the ategories of the object being viewed. This allows showing alternate content epending on the categories of the current object, but reduces performance. The ages in selected categories will have a class with syntax like "cat_catname" and ded to the body tag. The strong category IDs to exclude from the search index cache is used to avoid having to fetch all categories from the database every me; this clears the cache when an object is categorized to keep the count up to the ate. The can slow saving objects on sites with a lot of categories. You may need to be annually clear caches to update category object counts. The categories and perspectives to each other The categories and perspectives to each other The category object.

Option	Description	Default
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * This should only be set for perspectives, and not globally.	None
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. One per line, for example: 1,4,6,*7/4:/ RND_/:wiki page	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Jse approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. □ None Only those specified All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Workspace root category	ID of the root category containing all workspaces. A This value is automatically managed and should not need to be modified manually.	0
Default domain for non categorized content	The domain (hostname only) to be used when redirecting the user if he tries to read content that is not bound to the category/perspective configured for the current domain.	None

If an error message indicates a mandatory category is required when editing a wikit page, set this option to "None". □ None All Archived Editorial Board Meeting Files example Keywords Retired Status Status 3. In Progress Templates Versions 1.x Versions 10.x Versions 11.x Versions 12.x Versions 13.x Versions 14.x Versions 15.x Versions 15.x Versions 16.x Versions 17.x Versions 18.x Versions 19.x Versions 19.x
6.x Versi

Default

None

Option	Description	Default
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. IE None All Archived Editorial Board Meeting Files example Keywords Retired Status Status 3.In Progress Templates Versions Versions 1.x Versions 10.x Versions 11.x Versions 12.x Versions 13.x Versions 14.x Versions 15.x Versions 16.x Versions 17.x Versions 18.x Versions 2.x Versions 3.x Versions 5.x Versions 5.x Versions 6.x Versions	None
Jse unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
Automatically select the theme-control category of the current theme when categorizing	When creating or editing an object, automatically select the category that matches the theme-control category of the current theme	Disabled
Parent category of theme control categories	Choose the parent category of categories used for theme control \boxminus None Archived (35) Editorial Board Meeting (10) Files example (13) Keywords (12) Retired (34) Status (1) 3.In Progress (4) Templates (33) Versions (14) 1.x (15) 10.x (24) 11.x (25) 12.x (26) 13.x (27) 14.x (28) 15.x (29) 16.x (30) 17.x (31) 18.x (32) 2.x (16) 3.x (17) 4.x (18) 5.x (19) 6.x (20) 7.x (21) 8.x (22) 9.x (23)	Disabled
Store session variable for current theme	Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing	Disabled
Categorize tracker item	Enable the tracker item to be categorized in one or more categories under the specified main category.	Enabled

Option	Description	Derauit
ndex Tracker Category names	Index the names and paths of category field values • Requires reindexing	Enabled
nclude category selector in forum list	Include a dropdown selector in the forum list to choose a category for the post.	Disabled
orum post categories	Categories available in the category picker for forum posts.	None
Categories		Disabled
Categories path		Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters	Enabled
	lacklacklack Can slow the loading of the categories page on large sites.	
Show category id's	Show object id's when browsing categories	Disabled
Show categories	For polls that are categorized, the category is displayed.	Disabled
Categorize structure pages together	Place new pages of a structure in the same category as the structure's root page	Disabled

Dofault

Description

General description

Categories are often used to control access to different sets of content. Setting permissions for a category will **override** global permissions for objects in that category.

Example: A "public" category for anonymous users. If the global permissions in Tiki are set such that anonymous users cannot see wiki pages, then you can define a category called *public*, which does allow the group anonymous users to view the content. Then by adding a wiki page to category *public* - this page will now be visible without logging in.

ategories can also be used to aid navigation or create a taxonomy of objects. Categories are a tool that persists for a eatures, not just for wiki or articles or trackers. Depending on the settings, category listings can be displayed in a side module, above or below the content. Menus, modules and structures are also used for navigation, and categories for access control. Articles also use topics for classification.

Key Functioning and sub-features

- · Organize categories in a tree hierarchy with unlimited subcategories.
- Assign objects to one or many categories
- Administrators can apply different permissions to different categories.
- Administrators can apply different themes to different categories.
- Deep search into subcategories from the category browser
- On wiki pages, you can show the category path and/or show objects in the same category(ies)
- Manage Category Transitions

Category Permissions

The way that category permissions work has changed substantially over time.

Jp to version 1.9.11, a user with edit permission for a type of object is allowed to edit any object which they can view In version 2.0 the tiki_p_edit_categorized permission allows editing of objects with the user's categories. See also Categories Details.

Starting in Tiki4, all permissions can be added to categories, and Category Transitions are introduced. By changing the theme from one category to the next it is possible to create visually distinct "zones" in a Tiki site.

Related Plugins

- PluginCategory creates a table of contents using categories.
- PluginCatPath creates a "breadcrumbs" trail
- PluginCatorphans displays uncategorized pages.

Related Modules

- Module change_category Powerful display and modifications of the category of the current object.
- Module categories Displays category tree.

Related Links

- Category User explains how to navigate and search categories
- · Category Admin how to set up categories, and apply themes and permissions
- Categories Details plugins, tweaks and other technical details.

Alias

- Categories
- Category Tree
- Facet
- Facets
- Faceted classification
- Categories Admin

Related external links http://en.wikipedia.org/wiki/Faceted_classification