

Plugin List Pages

Use this wiki plugin, introduced in Tiki2, to list pages according to various criteria.

Parameters

List pages based on various criteria

Introduced in Tiki 2.

[Go to the source code](#)

Preferences required: `wikiplugin_listpages`, `feature_listPages`

Parameters	Accepted Values	Description	Default	Since
<code>find</code>		Only pages with names similar to the text entered for this parameter will be listed		2.0
<code>translations</code>		User- or pipe-separated list of two-letter language codes for additional languages to display. If the language parameter is not defined, the first element of this list will be used as the primary filter.		3.0
<code>translationOrphan</code>		User- or pipe-separated list of two-letter language codes for additional languages to display. List pages with no language or with a missing translation in one of the language		7.0
<code>excludetag</code>		Only pages with specific tag excluded (separate tags using <code>;</code>)		10.3
<code>includetag</code>		Only pages with specific tag (separate tags using <code>;</code>)		10.3
<code>initial</code>		Initial page to show		2.0
<code>lang</code>	alpha	Two-letter language code to filter pages listed.		3.0
<code>offset_arg</code>		Argument, id of the plugin (if more than one on the page), for pagination		15.3
<code>langOrphan</code>	alpha	Two-letter language code to filter pages listed. Only pages not available in the provided language will be listed.		3.0
<code>pagination</code>	(blank) y n	Turn on pagination		15.3
<code>start</code>		When only a portion of the page should be included, specify the marker from which inclusion should start.		5.0

end		When only a portion of the page should be included, specify the marker at which inclusion should end.		5.0
length	int	Number of characters to display		5.0
max	int	Limit number of items displayed in the list. Default is to display all.	-1	2.0
offset	digits	Result number at which the listing should start.	0	2.0
sort	text	Sort ascending or descending on any field in the tiki_pages table. Syntax is field name followed by <code>_asc</code> or <code>_desc</code> . Two examples: <code>lastModif_desc</code> <code>pageName_asc</code>	pageName_asc	2.0
showCheckbox	(blank) y n	Option to show checkboxes	y	7.0
exact_match	(blank) y n	Page name and text entered for the filter parameter must match exactly to be listed		2.0
for_list_pages	(blank) y n		y	2.0
only_orphan_pages	(blank) y n	Only list orphan pages		2.0
showNameAndDescriptionOnly	(blank) y n	Show only the page names and descriptions		24.0
showNameOnly	(blank) y n	Show only the page names		2.0
showPageAlias	(blank) y n	Show page alias in the list		2.0
structHead	(blank) y n	Filter by structure head		2.0
categId		Filter categories by Id numbers. Use different separators to filter as follows: <code>:</code> - Page is in any of the specified categories. Example: <code>1:2:3</code>		2.0

Example

This code,

```
{listpages find="module" exact_match="y"}
```

Would produce on this site:

**E
x
t
e
n
s
i
o
n
s
i
o
n
s
i
o
n**

Related Pages

- PluginTitlesearch - to search on the page name and show page hits and the last user who edited the page
- PluginShowpages - also searches on pages names and lists the page name and description