

텍스트 위키-문법

이 페이지에서 귀하는 위키 페이지와 위키 서식을 지원하는 (기사, 게시판, 및 블로그등을 포함하는) 기타 영역 상에서 텍스트에 서식을 적용하는 법을 배우게 됩니다.

마크업 언어 위키 문법

위키 페이지 상에서 사용되는 마크업 언어는 흔히 위키 신택스 (Syntax, 문법, 구문)이라고 불립니다. 이는 흔히 사용되는 문자를 흔하지 않은 방법으로 사용합니다 (혹은 일반적으로 같이 사용되지 o 넣는 문자 조합을 이루기도 합니다) 그리고 그러한 조합 및 방법에 특별한 의미가 부여됩니다. 캐릭터 조합의 일부는 한 줄의 시작부분에서만 작동하고, 다른 것은 텍스트의 아무 곳이나 삽입될 수 있으며, 해당 기능이 꺼질 때까지 활성화 되어 있기도 합니다.

위키 문법은 대부분의 기능에서 한 캐릭터가 두번 반복되는 방식을 사용합니다, 하지만, 2-캐릭터 조합 방식을 일부 채용하기도 합니다. 2-캐릭터 조합에서는 캐릭터들이 해당 기능이 꺼져있을 때 역치환되기도합니다. 고정폭 크기 텍스트 (MonoSpaced Text)가 좋은 예제 일 것입니다; 음수 기호(-) 와 양수기호(+) 는 고정폭 텍스트의시작을 위해서 사용되고 양수(+)와 음수(-)는 기능의 끝을 지정하기도 합니다.

다음 섹션에서 이들의 대부분이 설명됩니다.
{maketoc}

빠른 참조 - 기본 텍스트 서식적용

원하는 서식	문법	결과	지원버전
굵은체	<code>__text__</code>	text	
중앙정렬	<code>::text::</code>		
text			
색상 폰트 ~ text~/np~	<code>text</code>		
이탤릭	<code>"text" = ' 'text' '</code>	<i>text</i>	
고정폭	<code>`text`</code>	<code>text</code>	
밑줄	<code>===text===</code>	<u>text</u>	

원하는 서식	문법	결과	지원버전
텍스트 상자	<code>^text^</code>	text	
삭제됨	<code>text</code>	text	3.0
문법 표시	<code>~np~__not bold__np__not bold__</code>		

기본 텍스트 서식적용

이 섹션에서 보여지는 위키 문법은 텍스트의 어떤 부분에도 놓여질 수 있으므로 특정 문자, 단어 혹은 문장이 강조될 수 있습니다.

색상 폰트

원하는 색상으로 텍스트를 만들 수 있습니다. 두 개의 물결무늬 (~) 가 사용되고 그 뒤에 색상명과 콜론 (:) 이 와서 색상 폰트의 시작을 지정합니다. 다른 2 개의 물결무늬 (~) 를 사용하여 색상 폰트의 끝을 알립니다.

예제: np~이 텍스트는 빨강 (red)입니다~/np~ 는 다음의 결과를 produces:
이 텍스트는 빨강 (red)입니다

Color font can also be specified using HTML colors. HTML colors use 3 pairs of Hex numbers; one for Red, Blue, & Green so that 00 00 00 would produce white. The syntax is two Tildes (~) followed by the Pound (#) character and the Hex Numbers with a Colon (:) followed by the text to be colored. Two Tildes (~) mark the end of the Colored Text.

Example: np~This text is the color Magenta ~/np~ produces:
This text is the color Magenta

As of 3.0, the syntax was enhanced to also support background color changing.

Example: np~This text is blue with yellow background~/np~
This text is blue with yellow background
(click the [+] to open)* ###- Web-Safe HTML Colors Courtesy of Damosoft Web Design

	Color Name
	Color HEX
• Colored Text -	
--- --- --- --- AliceBlue	
Colored Text AntiqueWhite	#F0F8FF
	#FAEBD7

Colored Text Aqua	#00FFFF
Colored Text Aquamarine	#7FFFD4
Colored Text Azure	#F0FFFF
Colored Text Beige	#F5F5DC
Colored Text Bisque	#FFE4C4
Colored Text Black	#000000
Colored Text BlanchedAlmond	#FFEBCD
Colored Text Blue	#0000FF
Colored Text BlueViolet	#8A2BE2
Colored Text Brown	#A52A2A
Colored Text BurlyWood	#DEB887
Colored Text CadetBlue	#5F9EA0
Colored Text Chartreuse	#7FFF00
Colored Text Chocolate	#D2691E
Colored Text Coral	#FF7F50
Colored Text CornflowerBlue	#6495ED
Colored Text Cornsilk	#FFF8DC
Colored Text Crimson	#DC143C
Colored Text Cyan	#00FFFF
Colored Text DarkBlue	#00008B
Colored Text DarkCyan	#008B8B
Colored Text DarkGoldenRod	#B8860B
Colored Text DarkGray	#A9A9A9
Colored Text DarkGreen	#006400
Colored Text DarkKhaki	#BDB76B
Colored Text DarkMagenta	#8B008B
Colored Text DarkOliveGreen	#556B2F
Colored Text Darkorange	#FF8C00
Colored Text DarkOrchid	#9932CC
Colored Text DarkRed	#8B0000
Colored Text DarkSalmon	#E9967A
Colored Text DarkSeaGreen	#8FBC8F
Colored Text DarkSlateBlue	

Colored Text DarkSlateGray	#483D8B
Colored Text DarkTurquoise	#2F4F4F
Colored Text DarkViolet	#00CED1
Colored Text DeepPink	#9400D3
Colored Text DeepSkyBlue	#FF1493
Colored Text DimGray	#00BFFF
Colored Text DodgerBlue	#696969
Colored Text Feldspar	#1E90FF
Colored Text FireBrick	#D19275
Colored Text FloralWhite	#B22222
Colored Text ForestGreen	#FFFAF0
Colored Text Fuchsia	#228B22
Colored Text Gainsboro	#FF00FF
Colored Text GhostWhite	#DCDCDC
Colored Text Gold	#F8F8FF
Colored Text GoldenRod	#FFD700
Colored Text Gray	#DAA520
Colored Text Green	#808080
Colored Text GreenYellow	#008000
Colored Text HoneyDew	#ADFF2F
Colored Text HotPink	#F0FFF0
Colored Text IndianRed	#FF69B4
Colored Text Indigo	#CD5C5C
Colored Text Ivory	#4B0082
Colored Text Khaki	#FFFFFF
Colored Text Lavender	#F0E68C
Colored Text LavenderBlush	#E6E6FA
Colored Text LawnGreen	#FFF0F5
Colored Text LemonChiffon	#7CFC00
Colored Text LightBlue	#FFFACD
Colored Text LightCoral	#ADD8E6
Colored Text LightCyan	#F08080
Colored Text	#E0FFFF

Colored Text LightGoldenRodYellow	#FAFAD2
Colored Text LightGrey	#D3D3D3
Colored Text LightGreen	#90EE90
Colored Text LightPink	#FFB6C1
Colored Text LightSalmon	#FFA07A
Colored Text LightSeaGreen	#20B2AA
Colored Text LightSkyBlue	#87CEFA
Colored Text LightSlateBlue	#8470FF
Colored Text LightSlateGray	#778899
Colored Text LightSteelBlue	#B0C4DE
Colored Text LightYellow	#FFFFE0
Colored Text Lime	#00FF00
Colored Text LimeGreen	#32CD32
Colored Text Linen	#FAF0E6
Colored Text Magenta	#FF00FF
Colored Text Maroon	#800000
Colored Text MediumAquaMarine	#66CDAA
Colored Text MediumBlue	#0000CD
Colored Text MediumOrchid	#BA55D3
Colored Text MediumPurple	#9370D8
Colored Text MediumSeaGreen	#3CB371
Colored Text MediumSlateBlue	#7B68EE
Colored Text MediumSpringGreen	#00FA9A
Colored Text MediumTurquoise	#48D1CC
Colored Text MediumVioletRed	#C71585
Colored Text MidnightBlue	#191970
Colored Text MintCream	#F5FFFA
Colored Text MistyRose	#FFE4E1
Colored Text Moccasin	#FFE4B5
Colored Text NavajoWhite	#FFDEAD
Colored Text Navy	#000080
Colored Text OldLace	#FDF5E6
Colored Text Olive	

	#808000
Colored Text OliveDrab	
	#6B8E23
Colored Text Orange	
	#FFA500
Colored Text OrangeRed	
	#FF4500
Colored Text Orchid	
	#DA70D6
Colored Text PaleGoldenRod	
	#EEE8AA
Colored Text PaleGreen	
	#98FB98
Colored Text PaleTurquoise	
	#AFEEEE
Colored Text PaleVioletRed	
	#D87093
Colored Text PapayaWhip	
	#FFEFD5
Colored Text PeachPuff	
	#FFDAB9
Colored Text Peru	
	#CD853F
Colored Text Pink	
	#FFC0CB
Colored Text Plum	
	#DDA0DD
Colored Text PowderBlue	
	#B0E0E6
Colored Text Purple	
	#800080
Colored Text Red	
	#FF0000
Colored Text RosyBrown	
	#BC8F8F
Colored Text RoyalBlue	
	#4169E1
Colored Text SaddleBrown	
	#8B4513
Colored Text Salmon	
	#FA8072
Colored Text SandyBrown	
	#F4A460
Colored Text SeaGreen	
	#2E8B57
Colored Text SeaShell	
	#FFF5EE
Colored Text Sienna	
	#A0522D
Colored Text Silver	
	#C0C0C0
Colored Text SkyBlue	
	#87CEEB
Colored Text SlateBlue	
	#6A5ACD
Colored Text SlateGray	
	#708090
Colored Text Snow	
	#FFFAFA
Colored Text SpringGreen	
	#00FF7F
Colored Text SteelBlue	
	#4682B4
Colored Text Tan	
	#D2B48C

Colored Text Teal	#008080
Colored Text Thistle	#D8BFD8
Colored Text Tomato	#FF6347
Colored Text Turquoise	#40E0D0
Colored Text Violet	#EE82EE
Colored Text VioletRed	#D02090
Colored Text Wheat	#F5DEB3
Colored Text White	#FFFFFF
WhiteSmoke	#F5F5F5
Colored Text Yellow	#FFFF00
Colored Text YellowGreen	#9ACD32
Colored Text	

▲ Not all Color Names are valid in all Browsers, so to be on the safe side, it is useually best to use the HTML number by default. If these colors do not meet your requirements, see the link at the bottom of the page for the Color Picker II.

Bold Text

Two Underscore (_) characters are used to make text Bold.

Example: __This Text is Bold__ produces:

This Text is Bold

Italic Text

Two Single Quote (') characters are used to make text Italic.

Example: "This Text is Italic" produces:

This Text is Italic

Underlined Text

Three Equal (=) characters are used to underline text.

Example: ===This Text is Underlined=== produces:

This Text is Underlined

Strikethrough text

Example:

~~**This text uses strikethrough**~~

produces:

~~This text uses strikethrough.~~

Centered Text

Two Colon (:) characters are used to Center text. The Centered Text can be centered within a Box, a Table, or almost anything else.

Example: ::This Text is Centered:: produces:



This Text is Centered

Monospaced Text for Code

Monospaced Text is useful when displaying Code and can be created in two ways. The easiest is to start a new line with one or more spaces. The Minus (-) and Plus (+) character combination can also be used to specify a Monospaced Text. See also [PluginMono](#) for another way to apply the Monospace font.

Example: `This Text uses a Monospaced Font` produces:

This Text uses a Monospaced Font

 *If using a Monospaced Font, be sure to keep the line length short. If the lines are too long, they will push the right column out of the browser display area.*  *The Leading Space Monospaced Font is disabled on many sites.*

Superscript and subscript

Use the {TAG} plugin (also see [PluginTag](#)).

Example:

This text is {TAG(tag=>sup)}super{TAG} script.


produces:

This text is ^{super} script.

This text is {TAG(tag=>sub)}sub{TAG} script.

produces:

This text is _{sub} script.

 Another alternative is to use the {SUB} and {SUP} plugins which are documented at [PluginSub](#) and [PluginSup](#).

Text box

Apply one caret at start and end of text to be in a box.

Example: ^This Text is in a box^ produces:

This Text is in a box

NOTE: This CSS style is called "simplebox" and may look different or may not exist, depending on your theme CSS.

Plain Text

To turn off tiki formatting, surround your text with 'np' a.k.a. 'no processing' tags

Example: ~np~This "text" is __not__ being ===formatted===/np produces:

This "text" is __not__ being ===formatted===

NOTE: np tags cannot be used within an np block. To display an unprocessed tag, escape all the characters (not just the tildes) while in normal processing mode: ~126\~126{HTML()} ~126{HTML}110\~p~ ~126\~126{HTML()} ~126{HTML}47\~np~
Headings Headings are formed by starting the line with one, two, or three exclamation marks ("!", "!!", or "!!!"). {BOX()}
Note regarding customizing the appearance of headings: If you need to change the CSS property of a heading in the wikitext (by editing the theme stylesheet), be aware that a heading labeled "h1" (made with one exclamation point) is actually an HTML h2 heading, h2 is actually an HTML h3, and so on. This is because, consistent with semantic layout, there should be only one h1 heading on a page, so in Tiki h1 is reserved for the page title. Although it may seem confusing to map the heading sizes down one level this way, it was decided as better than labeling the wikitext headings something like h2 to h5, with h1 apparently missing. So to change the appearance of a wikipage's "h2" headings for example, actually it is the h3 selector in the stylesheet that needs to be edited (or .wikitext h3, if the theme has rules for wikitext headings in addition to default heading rules).{BOX} ### Numbered Headings In tiki 2.0 and above, you can create numbered headings using a combination of the ! and # characters - !# My Heading will produce "1.0 My Heading" - !!# My Secondary Heading will produce "1.1 My Secondary Heading" - !!!# My Tertiary Heading will produce "1.1.1 My Tertiary Heading" See: ((Headings)) ### LineBreak (forced)
Basic WIKI markup language don't include "linebreak" element. Nevertheless with TIKI you can use special command to force linebreaks into a text : line break code (~np~%%%), like so:

~np~text %%% text %%% text

will look like this:

text

text

text

Indent

Indent is formed by the combination of the ; and : characters. ; must appear at the beginning of a line and : must appear between introduction text and the indented text. The introduction text portion is useful for forming definition type indentation like Example 1 below. However the introduction text can be eliminated by simply including ;; together followed by the text as shown in Example 2.

Example 1:

;Intro Text: First example of indented text
produces:

Intro Text

First example of indented text

Example 2:

;;2nd example of indented text
2nd example of indented text

Using Square Brackets

If you wish to include square brackets in your text (i.e. as regular text and not a link) simply add an additional open bracket to start. E.g.

[[this would not be a link]

Would render like this...

[this would not be a link]

Non-breaking space

Use ~hs~ to add the HTML " " for a non-breaking space.

Comments

Wiki Comments

~tc~ this is a tiki comment ~/tc~

Will be kept in the Wiki source file but not seen when the HTML page is generated or HTML page source is viewed.

HTML Comments

~hc~ this is an HTML comment ~/hc~

Will be kept in the Wiki source file and will generate an HTML comment of the form

this is an HTML comment >

An HTML comment will not be seen when the page is viewed but will be seen when the HTML page source is viewed.

Displaying code

You enter code blocks by enclosing the block between

```
{CODE()} and {CODE}
```

.
This is a WikiPlugin, which extends the WikiSyntax.

To Indent a Text Block

Enclose text in a blockquote using HTML to indent a section / block of text.

```
text
text
text
```

This will display as:

```
text
text
text
```

You can also use the indent code (:.), and line break code (%%%), like so:

```
:.text %%% text %%% text
```

Useful Links

- The Color Picker II is located at <http://www.pagetutor.com/pagetutor/makapage/picker/>
- [WebDeveloper](#) extension for [Mozilla Firefox](#)
- The wiki syntax is not standardised across applications. There is an initiative to publish the Wiki-Syntax as an RFC from the [IETF](#). See [RFCWik](#),