## Programmer

## Overview

Enables features that are useful to programmers and Tiki developers

**Related Topics** 

• Features

• Tiki Development

To Access

From the Features page, click the **Programmer** tab.

| Option                              | Description  | Default                           |
|-------------------------------------|--|-----------------------------------|
| Internet of things                  | Enable usage of Tiki Internet of Things apps<br>You can use this feature to connect your physical objects with your Tiki<br>instance and collect/monitor your data in real time  | Disabled                          |
| Integrator                          | Δ  | Disabled                          |
| Edit Blogs with<br>XMLRPC API       | Tiki implements the XML-RPC API of wBlogger. This API is used by several Windows applications that can be used to manage weblogs. Any application implementing the wBlogger XML-RPC API can be used to edit Tiki blogs.  | Disabled                          |
| Debugger console                    | A popup console with a list of all PHP and Smarty variables used to render the current webpage. It can be viewed by clicking 'Quick Administration->Smarty debug window' or by appending ?show_smarty_debug=1 or &show_smarty_debug=1 to the page URL. You may also execute SQL, watch vars and perform a number of other functions.<br>Only viewable by admins     Not suitable for production use. | Disabled                          |
| TikiTests                           | Permits recording and playback of functional tests   | Disabled                          |
| Smarty compilation                  | Indicates when the template cache should be refreshed.<br>☵ Modified   Never check (performance)   Always (development, slow)  | Modified                          |
| Web services                        | Can receive web services via JSON or YAML.   | Disabled                          |
| Dummy preference                    | <ul> <li>This is useful for developers to learn how to create a new preference. HTML may be used.</li> <li>★ This is the detail.</li> <li>♦ This is the hint. Wiki syntax may be used.</li> <li>♦ This is the shorthint. Wiki syntax may be used.</li> <li>▲ This is the warning. ▲</li> </ul>   | This is the<br>default value<br>o |
| PHP Error reporting<br>level        | Level of errors to be reported. Errors can be seen in a collapsible box at the bottom of the page, if any exist.<br>∷ No error reporting   Report all PHP errors except strict   Report all PHP errors   Report all PHP errors except notices   According to the PHP configuration   | Report all PHI<br>errors excep    |
| PHP errors visible to<br>admin only | PHP Errors will be shown to only the Admin user.<br>During site development, it's better to display errors to all users. However,<br>in production settings, errors should only be displayed to administrators.  | Enabled                           |

| Option   | Description  | Default      |
|--|--|--------------|
| Include Smarty<br>notices in the PHP<br>error report | Tiki will display Smarty notices with the PHP error messages.<br>In most cases, Smarty notices can be safely ignored. However, they may be useful in the development process when unexpected issues occur.   | Disabled     |
| Log mail in Tiki logs                                | A line of type mail will be included in the System Log with the destination address and subject of each email sent.<br><b>A</b> May impact performance   | Disabled     |
| Log SQL  | <ul> <li>All SQL queries will be registered in the database in the tiki_sql_query_logs table.</li> <li><b>A</b> Do not enable this feature all the time. It can be very resource intensive and will impact performance.</li> </ul>   | Disabled     |
| Log queries using<br>more than                       | Use to log only queries that exceed a specific amount of time.<br><b>A</b> May impact performance  | 0.05 seconds |
| Smarty template<br>usage indicator                   | <ul> <li>Add HTML comment at start and end of each Smarty template (.tpl file)</li> <li>★ Clear the Tiki system cache for this change to take effect.</li> <li>▲ Use only for development, not in production at a live site, because these warnings are added to emails as well, and are visible to users in the page source.</li> <li>▲ May impact performance</li> </ul> | Disabled     |
| Custom JavaScript                                    | <ul> <li>Includes a block of inline JavaScript after the inclusion of jQuery and other JavaScript libs in all pages.</li> <li>▲ Use PluginJS to include Javascript on a single wiki page.</li> <li>▲ Do not include the &lt; script &gt; tags.</li> </ul>  | None         |
| Smarty security                                      | Enable/Disable Smarty security. If checked, you can then define allowed and disabled modifiers and tags(functions, blocks and filters) that should be or not accesible to the template.  | Enabled      |