

Search within files

In most cases, Tiki can search the textual content within files. For example, the text in a .docx file. For images, please see OCR Indexing.

In most cases, this relies on utilities on the server. To check support on your server, use Tiki Check. It is possible, once you enabled "Automatic indexing of file content" (Control Panels, File Galleries, Search Indexing tab) to index the content of the files which are in the File Gallery so they can be retrieved by a search. If you have a script that extracts the file content into a text, you can associate the script to the Mime type and the files content will be indexed.

If you want to search on files in the file galleries, you must provide handlers to extract the text for the file's MIME type (some may still work by default). The commands, such as *strings* or *pdftotext* must exist on your server. The type-command associations are defined in the Indexing tab of the Admin: File Gallery page.

MIME Type	System command	Ubuntu/Debian package with command
application/vnd.oasis.opendocument.presentation	odt2txt %1	odt2txt
application/vnd.oasis.opendocument.spreadsheet	odt2txt %1	odt2txt
application/vnd.oasis.opendocument.text	odt2txt %1	odt2txt
application/vnd.openxmlformats-officedocument.wordprocessingml.document	docx2txt.pl %1 -	
application/ms-excel	xls2csv %1	catdoc
application/ms-powerpoint	catppt %1	catdoc
application/msword	catdoc %1 or strings %1	catdoc
application/pdf	ps2text %1 or pdftotext %1 -	poppler-utils or pstotext Tiki28 now has a built-in solution: https://github.com/smalot/pdfparser/
application/postscript	ps2text %1	pstotext
application/ps	pstotext %1	pstotext
application/rtf	catdoc %1	catdoc

application/sgml	col -b %1 or strings %1	bsdmainutils
application/vnd.ms-excel	xls2csv %1	catdoc
application/vnd.ms-powerpoint	catppt %1	catdoc
application/x-msexcel	xls2csv %1	catdoc
application/x-pdf	pstotext %1	poppler-utils or pstotext
application/x-troff-man	man -l %1	man-db
text/enriched	col -b %1 or strings %1	bsdmainutils
text/html	elinks -dump -no-home %1	elinks
text/plain	col -b %1 or strings %1	bsdmainutils
text/richtext	col -b %1 or strings %1	bsdmainutils
text/sgml	col -b %1 or strings %1	bsdmainutils
text/tab-separated-values	col -b %1 or strings %1	bsdmainutils

Several tools can be used to extract search strings; many Unix sites have "strings", which can detect things which appear to be text within files although without the accuracy of more specialized tools.

Ensure that the system command entered prints its output to the screen (standard output) and not to a file. Try the command on a console and check the manual. E.g. you have to add a trailing "-" to pdftotext.

It might be needed to clear the Tiki Cache after installing a new handler for the system to pick it up.

It's better if you have fileinfo installed to avoid misidentified mimetypes (install php-pear if you are using php < 5.3).

To install all required packages in a Debian-based server, you can use this command:

```
sudo apt-get install bsdmainutils catdoc elinks man-db odt2txt php-pear pstotext
```

If you use WikiSuite, everything is pre-installed.

Related:

- <http://stosberg.net/odt2txt/>